Contents

Preface vii

Conference Information viii

Chapter 1. Heavy fermion cerium compounds

Magnetism and superconductivity in heavy fermion compounds at high pressure
D. Jaccard, H. Wilhelm, K. Alami-Yadri and E. Vargoz 1

Strongly correlated electron phenomena in filled skutterudite compounds
M.B. Maple, N.R. Dilley, D.A. Gajewski, E.D. Bauer, E.J. Freeman, R. Chau, D. Mandrus and B.C. Sales 8

Transport and thermodynamic properties of $CeCu_xAg_{1-x}Al_3$
D. Werner, E. Bauer, J.M. Martin and M.R. Lees 10

Pressure studies on $(Ce_{1-x}U_x)Al_2$
H.C. Kim, J.-G. Park, R. Hauser, H. Michor and E. Bauer 12

New μSR results on the magnetic structure of $CeAl_2$
A. Schenck, D. Andreica, M. Pinkpank, F.N. Gygax, H.R. Ott, A. Amato, R.H. Heffner, D.E. MacLaughlin and G.J. Nieuwenhuys 14

Magnetic and transport properties in $CeAuAl_3$ single crystal
H. Sugawara, S.R. Saha, T.D. Matsuda, Y. Aoki, H. Sato, J.L. Gavilano and H.R. Ott 16

^{27}Al nuclear magnetic resonance studies of $CeAuAl_3$
P. Vonlanthen, J.L. Gavilano, B. Ambrosini and H.R. Ott 18

Lattice constants of $CeCu_5$ under pressure
M. Lorenzen, M. Hanfland, E. Bauer, F.-W. Schaper and A. Eichler 20

Kondo behaviour of $Ce_{1-x}La_xCu_5In$ and $CeCu_5In_{1-x}M_x$ (M = Al or Ga)
M.B.T. Tchokonte, D. Kaczorowski, P. de V. du Plessis and A. M. Strydom 22

Magnetic properties of $CeCu_xAl_{4-x}$ and $CeCu_xGa_{4-x}$ single crystals
M. Kontani, G. Motoyama, T. Nishioka and K. Murase 24

Exchange interactions in nonmagnetic Kondo system $Ce_xGd_{1-x}Cu_{6-y}Mn_y$
T.S. Altshuler, M.S. Bresler and S.G. L'vov 26

Metamagnetic-like anomaly in $CeCu_6$
Y. Aoki, T. Namiki, T.D. Matsuda, H. Sugawara, H. Sato, R. Settai and Y. Ōnuki 28

Preparation and transport properties of high-quality thin films of the heavy-fermion system $CeCu_6$
D. Groten, G.J.C. van Baarle, R.W.A. Hendrikx, J. Aarts, G.J. Nieuwenhuys and J.A. Mydosh 30

Magnetic phase diagram of $Ce_xLa_{1-x}B_6$ studied by magnetization measurement
T. Tayama, S. Honma, K. Tenya, H. Amitsuka, T. Sakakibara and S. Kunii 32

Magnetic phase diagrams of $Ce_{0.4}La_{0.6}B_6$ up to 15 T investigated by specific heat measurements
M. Hiroi, S. Kobayashi, M. Sera, N. Kobayashi and S. Kunii 34

Magnetic phase diagram and low-temperature properties of $Ce_{0.5}La_{0.5}B_6$
S. Nakamura, S. Sakatsume, O. Suzuki, T. Goto, Y. Nemoto, T. Horino, T. Matsumura and S. Kunii 36

The magnetoresistance in $CeNi_{1-x}Cu_x$ system
J. García Soldevilla, J.C. Gómez Sal, J. Rodríguez Fernández, J.I. Espeso and J.A. Blanco 38

Ground state properties of $Ce_{1-x}Y_xNi_{0.8}Pt_{0.2}$ for $0 \leqslant x \leqslant 0.3$ near ferromagnetic instability
A. Izquierdo, J. García Soldevilla, C. Sirvent, J. Rodríguez Fernández, R. Villar, J.C. Gómez Sal, F.G. Aliev and S. Vieira 40

Anomalous phonon softening in intermediate-valence CeNi
E.S. Clementyev, M. Braden, V.N. Lazukov, P.A. Alekseev, J.-M. Mignot, I.P. Sadikov, A. Hiess and G. Lapertot 42

Magnetoresistivity properties of some ternary stannides based on cerium and nickel
B. Chevalier, J. García Soldevilla, J.I. Espeso, J. Rodríguez Fernández, J.C. Gómez Sal and J. Etourneau 44

Magnetic structure of the antiferromagnetic Kondo stannide Ce_2Ni_2Sn
D. Laffargue, F. Bourée, B. Chevalier, J. Etourneau and T. Roisnel 46

Magnetic instabilities in $CeRu_2Si_2$ compounds
S. Raymond, D. Raoelison, S. Kambe, L.P. Regnault, B. Fåk, R. Calemczuk, J. Flouquet, P. Haen and P. Lejay 48

Magnetoresistance in pressurized $CeRu_2Ge_2$: Comparison with $CeRu_2(Ge_{1-x}Si_x)_2$ alloys
S. Süllow, M.C. Aronson, B.D. Rainford and P. Haen 54

High-field magnetization of $CeRh_2(Si_{1-x}Ge_x)_2$
H. Abe, H. Suzuki and H. Kitazawa 56

Effect of pressure on the magnetization of single crystal $CeRh_2Si_2$
H. Mori, N. Takeshita, N. Môri and Y. Uwatoko 58

Magnetic and transport properties of $CeRh_2Si_2$ under high pressures
T. Muramatsu, S. Eda, T.C. Kobayashi, M.I. Eremets, K. Amaya, S. Araki, R. Settai and Y. Ōnuki 61

High-pressure resistivity of $Ce(Ru_{0.85}Rh_{0.15})_2Si_2$
C. Sekine, K. Kiho, I. Shirotani, S. Murayama, G. Oomi and Y. Ōnuki 63

Low temperature properties of the heavy-fermion $Ce(Ru_{1-x}Rh_x)_2Si_2$ at the magnetic–nonmagnetic boundaries
Y. Yamamoto, Y. Miyako, S. Kawarazaki, T. Takeuchi, M. Ocio, P. Pari, J. Hammann, I. Watanabe, K. Nishiyama, K. Simomura and K. Nagamine 66

Low-temperature properties of the $Ce(Pd_{1-r}Rh_r)_2Si_2$ system
M.Gómez-Berisso, P. Pedrazzini, J.G. Sereni, O. Trovarelli, C. Geibel and F. Steglich 68

Spin dynamics in itinerant heavy electron system $Ce(Ru_{1-x}Rh_x)_2Si_2$ ($x = 0$ and 0.03) near the magnetic instability point
Y. Tabata, T. Taniguchi, M. Sato, S. Kawarazaki and Y. Miyako 70

Specific heat of $CeRu_2Si_2$ studied by constant volume dilution
K. Matsuhira, T. Sakakibara, K. Tenya and H. Amitsuka 73

Theory of metamagnetism in $CeRu_2Si_2$
F. Bagehorn and K.W. Becker 75

Ru-NMR study of pseudo-metamagnetic transition in $CeRu_2Si_2$
Y. Kawasaki, K. Ishida, Y. Kitaoka, K. Asayama, H. Nakamura and J. Flouquet 77

$CeRu_2Ge_2$ at high pressure as an analogue of $CeRu_2(Si_{1-x}Ge_x)_2$
H. Wilhelm and D. Jaccard 79

Magnetism and phase-diagram of $Ce(Ni_{1-x}Pd_x)_2Ge_2$
T. Fukuhara, S. Akamaru, H. Ito, T. Kuwai, J. Sakurai and K. Maezawa 81

NMR study of the spin fluctuation in $Ce(Ru_{1-x}Rh_x)_2Si_2$
K. Ueda, S. Mishina, T. Kohara, Y. Yamamoto and Y. Miyako 83

Evolution of the magnetic phase diagram in $CeRu_2(Si_{1-x}Ge_x)_2$
P. Haen, H. Bioud and T. Fukuhara 85

Behaviour of thermopower at the transition from impurity Kondo towards heavy fermion regime in $Ce_xLa_{1-x}Cu_{2.05}Si_2$
M. Očko, B. Buschinger, C. Geibel and F. Steglich 87

Magnetic behavior and local electronic structure of $Ce_2Ni_3Si_5$ and $CeNi_4B$
C. Mazumdar, Z. Hu and G. Kaindl 89

Anomalous magnetic properties of $CeRu_4Sb_{12}$
N. Takeda and M. Ishikawa 92

Electrical resistivity and Hall effect studies in $CeIn(Cu_xAg_{1-x})_2$
T. Hiraoka and K. Ootake 94

Dense Kondo compound Ce_5Ge_3
M. Kurisu, T. Mitsumata and I. Oguro 96

Pressure dependence of magnetic order in $CePd_2Al_2Ga$
T. Burghardt, A. Eichler, S. Süllow and J.A. Mydosh 99

Thermal expansion, magnetostriction and magnetic susceptibility under pressure of $CeAgSb_2$
M.J. Thornton, J.G.M. Armitage, G.J. Tomka, P.C. Riedi, M. Houshiar, D.T. Adroja, B.D. Rainford and D. Fort 101

^{115}In NQR study in $CeIn_3$
Y. Kohori, Y. Inoue, T. Kohara, G. Tomka and P.C. Riedi 103

Environmental effect on the magnetic behaviour in $CePd_3Ga_x$
D. Kaczorowski and M. Koźlik 105

Magnetic ordering, Kondo lattice behaviour in $(CePd_3)_8T$ (T = Ga, In and Sn) compounds
C. Mitra, S.K. Dhar, S. Ramakrishnan and N.G. Patil 108

Possible realization of the coexistence of dimer and antiferromagnetism in Ce_5Si_3
Y. Ushida, T. Nishioka and M. Kontani 110

Magnetic properties of CeGa single crystal
E. Matsuoka, H. Suzuki, H. Kitazawa, G. Kido and Y. Uwatoko 112

Magnetic properties of single crystals CeScGe and CeScSi
Y. Uwatoko, M. Kosaka and T. Sigeoka 114

Thermodynamic properties of $Ce(Ru_xRh_{1-x})_3B_2$
S. Berger, R. Hauser, H. Michor, G. Hilscher, E. Bauer, J.G. Sereni and P. Rogl 116

Magnetoresistance in $CeTGe_3$ (T = Fe, Co)
S.L. Bud'ko, M.B. Fontes, S.N. de Medeiros, M.A. Continentino and E.M. Baggio-Saitovitch 118

NMR studies of CePdAl below 1 K
K. Kamioka, A. Oyamada, K. Hashi, S. Maegawa, T. Goto, H. Kitazawa and Y. Isikawa 121

Growth and structure of Ce/Cu on GaAs(1 1 0) substrate by MBE method
N. Sato, M. Takayama, N. Yoshimoto and M. Yoshizawa 123

μSR investigation of the quasi-elastic magnetic excitations in strongly correlated compounds
A. Yaouanc, P. Dalmas de Réotier, P.C.M. Gubbens, C.T. Kaiser, P. Bonville, J.A. Hodges, A. Amato, A. Schenck, P. Lejay, A.A. Menovsky and M. Mihalik 126

Chapter 2. Ytterbium and other anomalous rare-earth compounds

Physics of $YbInCu_4$ and related compounds
J.L. Sarrao 128

The phase diagram of $YbInCu_4$
A. Löffert, S. Hautsch, F. Ritter and W. Assmus 134

Characteristic energy scales in $YbCu_{5-x}Ag_x$
R. Hauser, K. Kreiner, E. Bauer, H. Michor, G. Hilscher, M. Rotter, H. Müller, N. Tsujii, K. Yoshimura and K. Kosuge 136

Low-energy excitations, symmetry breaking and specific heat in YbBiPt
R.A. Robinson, A. Christianson, H. Nakotte, W.P. Beyermann and P.C. Canfield 138

Low-temperature properties of $YbCo_2Ge_2$
O. Trovarelli, C. Geibel, M. Grosche, R. Schleser, R. Borth, G. Sparn and F. Steglich 140

Magnetoresistance of $YbNi_2(Si_xGe_{1-x})_2$ solid solutions
E.M. Levin, T. Palewski and B.S. Kuzhel 142

Transport properties and μSR spectroscopy of $Yb(Ni_xCu_{1-x})_2Si_2$
D. Andreica, K. Alami-Yadri, D. Jaccard, A. Amato and A. Schenck 144

Specific heat of YbPtSn
T. Suzuki, Y. Matsumoto, F. Masaki, K. Izawa, M. Ito, K. Katoh, T. Takabatake and T. Fujita 146

Pressure effect on the magnetic ordering in YbAs
Y. Okayama, N. Môri, A. Oyamada and T. Suzuki 148

Magnetic behaviour of $Yb_2Co_3T_9$ (T = Ga and Al)
S.K. Dhar, C. Mitra, P. Manfrinetti, A. Palenzona and P. Bonville 150

Low-temperature magnetoresistance measurements of $YbBe_{13}$
Yu.G. Naidyuk, O.E. Kvitnitskaya, K. Gloos, A.G.M. Jansen, P. Wyder and Z. Fisk 152

Thermal conductivity and thermoelectric power of Yb–Au system
G. Nakamoto, T. Nobata, S. Ueda, Y. Nakajima, T. Fujioka and M. Kurisu 154

Transport properties of Yb-compounds at high pressure
K. Alami-Yadri, H. Wilhelm and D. Jaccard 157

Magnetic properties of an anomalous phase transition around 5 K in YbSb
K. Hashi, A. Oyamada, S. Maegawa, T. Goto, D.X. Li, T. Suzuki, A. Dönni and F. Hulliger 159

Magnetic properties and electrical resistivity of YbRhSn and YbIrSn
K. Katoh, G. Terui, Y. Niide, H. Aoki and A. Ochiai 161

Nonmagnetic crystal-electric-field ground state in the heavy-fermion compound $PrInAg_2$
T.M. Kelley, W.P. Beyermann, R.A. Robinson, H. Nakotte, P.C. Canfield and F. Trouw 163

Magnetic behavior of $Eu_{2-x}Y_xPdSi_3$ alloys
S. Majumdar, R. Mallik, P.L. Paulose and E.V. Sampathkumaran 166

Low-temperature nuclear magnetic resonance studies of EuB_6
J.L. Gavilano, B. Ambrosini, P. Vonlanthen, H.R. Ott, D.P. Young and Z. Fisk 168

Chapter 3. Kondo lattice (theory)

Metallic and insulating Kondo-lattice states with compensated moments
R. Doradziński and J. Spałek 170

Dimensional crossover in heavy fermions
M.A. Continentino 172

The Ising spin glass in a transverse field and the Kondo model
M.J. Rozenberg and D.R. Grempel 174

Beyond one-electron dynamics: predicted and observed magnetic ordering collapse for two kinds of uranium f-electrons
B.R. Cooper, Y.-L. Lin and Q.-G. Sheng 176

Auxiliary particles and Fumi's theorem
S.E Barnes 179

Mean-field solution of the Kondo lattice away from half-filling
A. Ruppenthal, J.R. Iglesias and M.A. Gusmão 181

The Kondo–Hubbard model at half-filling
J. Pérez-Conde, F. Bouis and P. Pfeuty 183

Functional integrals for the Anderson lattice
H. Keiter and K. Baumgartner 186

Kinetics of heavy fermions and spin wave excitations
A.V. Goltsev 188

Gap-anisotropic model for the narrow-gap Kondo insulators
J. Moreno and P. Coleman 190

Small moments in Kondo-lattice systems
T.M. Tien 193

Effective action for the Kondo lattice model. New approach for $S = 1/2$
F. Bouis and M.N. Kiselev 195

Coqblin–Schrieffer versus local exchange coupling: a perturbative renormalization group study
E. Pavarini and L.C. Andreani 198

A two-channel Kondo impurity in the spin-1/2 chain: consequences for Knight shift experiments
S. Eggert and S. Rommer 200

New phase in Kondo lattices
A. Pérez-Navarro, J. Costa-Quintana and F. López-Aguilar 202

Kondo effect in a thin film
A. Crépieux and C. Lacroix 204

From the Kondo–Hubbard model to the spin brush model
F. Bouis and P. Pfeuty 206

The one-dimensional periodic Anderson model: A mean field study
C. Papatriantafillou, N. Kioussis, S. Park and A.N. Kocharian 208

Magnetic susceptibility and specific heat of the Kondo lattice with short-range magnetic correlations
R. Citro and J.R. Iglesias 210

Kondo-lattice in an applied magnetic field: spin-split masses and metamagnetism
R. Citro, A. Romano and J. Spałek 213

Kondo effects in quantum dots systems
W. Izumida, O. Sakai and Y. Shimizu 215

Exciton-assisted processes in Kondo scattering
K. Kikoin, M. Pustilnik and Y. Avishai 217

A frustrated Kondo lattice model for the magnetic phases of CeSb
G. Martínez, J.R. Iglesias, C. Lacroix and B. Coqblin 219

Kondo effect in a Luttinger liquid: a two-channel Kondo fixed point is not possible
K. Le Hur 221

Magnetic instability in the Kondo lattice
F. Duhem and C. Lacroix 223

Weak antiferromagnetism in the Kondo lattice
E. Joukovski, V. Tugushev and M. Avignon 225

Diagrammatic solution of the Anderson lattice with nearest-neighbor exchange interactions
B.H. Bernhard, C. Lacroix, J.R. Iglesias and B. Coqblin 227

From local-density approximation to strong electron correlations
I. Sandalov, B. Johansson and O. Eriksson 229

Are there two types of f-electrons in Pr-metal?
U. Lundin, I. Sandalov, O. Eriksson and B. Johansson 231

Chapter 4. Magnetism of actinide compounds

Substitution effect in new mass-enhanced UCu_5M phases (M = Al, In, Sn)
R. Troć, D. Kaczorowski, V.H. Tran and V.I. Zaremba 233

Electronic structure of USb in the non-collinear magnetic state
H. Yamagami 236

Magnetism and transport in UGa_2 single crystal
A.V. Kolomiets, L. Havela, V. Sechovský, P. Javorský, J. Kamarád, N. Sato and T.D. Cuong 238

Transport properties across the metamagnetic transition in UCoAl
T.D. Matsuda, H. Sugawara, Y. Aoki, H. Sato, A.V. Andreev, Y. Shiokawa, V. Sechovsky and L. Havela 240

Specific-heat study of the $UCoAl_{1-x}Ga_x$ system
I.K. Kozlovskaya, A.V. Andreev, J. Šebek, M. Tomida, Y. Shiokawa, Y. Homma and V. Sechovský 242

Effect of Pd substitution for Ni on magnetism in UNiAl
R.V. Dremov, A.V. Andreev, J. Šebek, N.V. Mushnikov, T. Goto, L. Havela, V. Sechovský, Y. Shiokawa and Y. Homma 244

Magnetic structures of UNiAl in magnetic fields
K. Prokeš, F. Bourdarot, P. Burlet, M. Olšovec, V. Sechovský, P. Javorský, E. Brück, A. Goukassov, F.R. de Boer and A.A. Menovsky 246

Phase diagram of UNiSn in magnetic field and under hydrostatic pressure
T. Akazawa, T. Suzuki, T. Tahara, T. Goko, J. Hori, H. Goshima, F. Nakamura, T. Fujita, T. Takabatake and H. Fujii 248

Unusual magnetism of $U_2Rh_3Si_5$ in high magnetic fields
B. Becker, A.C. Wallast, J.A.A.J. Perenboom, G.J. Nieuwenhuys and J.A. Mydosh 250

^{119}Sn Mössbauer study of the non-magnetic stannides UM_2Sn with M = Co, Ni, Rh and Pd
B. Chevalier, L. Fournès, P. Bonville, F. Gonzalez-Jimenez and J. Etourneau 252

Antiferromagnetism, crystal fields and hybridisation in $U_xY_{1-x}Pd_3$ studied by neutron scattering
M.J. Bull, K.A. McEwen, R.S. Eccleston, K.N. Clausen and W. Kockelmann 254

Magnetoelasticity of UNi_2Si_2
F. Honda, G. Oomi, A.V. Andreev, V. Sechovský and A.A. Menovsky 256

Magnetic properties of $U_3M_2M'_3$
M. Mihalik, P.F. Rogl and A.A. Menovsky 258

Competition between intrasite and intersite interactions in U-doped YRu_2Si_2
M. Očko, J.-G. Park and I. Aviani 260

Study of the strongly correlated electron system UCu_5Sn
V.H. Tran, R. Troć and T. Cichorek 263

Magnetic properties of $Pu_xY_{1-x}Sb$ single crystals
O. Vogt, J. Löhle, K. Mattenberger and J. Rebizant 265

Chapter 5. Kondo insulators and quadrupolar ordering

Electronic structure of low carrier ytterbium pnictides
H. Eschrig, V.N. Antonov, A.N. Yaresko, A.Ya. Perlov, P. Thalmeier, P. Fulde and P.M. Oppeneer 267

Magnetic excitations in the charge ordered state of Yb_4As_3 and $Yb_4(As_{0.6}P_{0.4})_3$
M. Kohgi, K. Iwasa, J.-M. Mignot, N. Pyka, A. Ochiai, H. Aoki and T. Suzuki 269

Hyperfine interactions in mixed valence Yb_3S_4
M. Rams, K. Królas, P. Bonville, Y.S. Kwon and F. Gonzalez-Jimenez 271

Non-magnetic electronic structure in the charge-ordered state of Yb_4As_3
H. Harima 273

Charge fluctuation in $Yb_4(As_{1-x}Sb_x)_3$
Y. Nemoto, H. Aoki, T. Goto, A. Ochiai and T. Suzuki 275

Physical properties of Yb_4As_3 and related compounds
A. Ochiai, H. Aoki and T. Suzuki 277

Structural and magnetic properties of the Kondo insulator UFe_4P_{12}
H. Nakotte, N.R. Dilley, M.S. Torikachvili, H.N. Bordallo, M.B. Maple, S. Chang, A. Christianson, A.J. Schultz, C.F. Majkrzak and G. Shirane 280

Magnetic excitations in the Kondo compound CeRhSb
K. Ohoyama, M. Kohgi, T. Yoshino, T. Takabatake, W. Hahn and R.S. Eccleston 283

Polarized-neutron study of the magnetic-polaron state in CeP
K. Iwasa, M. Kohgi, Y. Haga, T. Suzuki, K. Kakurai, M. Nishi, K. Nakajima, P. Link, A. Gukasov and J.-M. Mignot 285

Crystal field excitation of single crystal CeNiSn
J.-G. Park, D.T. Adroja, K.A. McEwen, Y.J. Bi and J. Kulda 288

Phonon and electronic excitation study of CeRhSb and CeNiSn by Raman scattering
M. Udagawa, Y. Fujita, N. Ogita, T. Yoshino, T. Takabatake and H. Fujii 290

Effect of Kondo-hole impurity on the pseudogap in CeNiSn
Y. Echizen and T. Takabatake 292

^{119}Sn and ^{59}Co NMR study of valence phase transition in $CeNi_{0.65}Co_{0.35}Sn$
K. Kumagai, Y. Furukawa, K. Ooi, B. Rainford and A. Yakubovskii 294

Thermodynamics of CeNiSn at low temperature and in weak magnetic field
K.A. Kikoin, M.N. Kiselev, A.S. Mishchenko and A. de Visser 296

Thin film preparation of the low charge carrier density Kondo system CeSb
H. Meffert, J. Oster, P. Haibach, M. Huth and H. Adrian 298

Magnetic properties of $Ce_xLa_{1-x}Sb$ and $Ce_xY_{1-x}P$ in high magnetic fields
T. Sakon, A. Kobayashi, M. Kubota, Y. Nakanishi, H. Nojiri, S. Mitsudo, S. Takagi, T. Suzuki and M. Motokawa 300

Point-contact spectroscopy on the La-doped Kondo insulator $Ce_3Bi_4Pt_3$
F. Laube, G. Goll, C. Obermair, T. Pietrus and H. v. Löhneysen 303

Appearance of ferromagnetism in CeP at high pressure
I.N. Goncharenko, P. Link, J.-M. Mignot, M. Kohgi, K. Iwasa, Y. Haga and T. Suzuki 306

Effects of slight La- or Y-doping on the magnetic properties of CeP
A. Kobayashi, T. Matsumura, S. Takagi, Y. Haga, T. Kamimura and T. Suzuki 309

Kondo-semiconductor to Kondo-impurity transition in the heat capacity of $Yb_{1-x}Lu_xB_{12}$
F. Iga, S. Hiura, J. Klijn, N. Shimizu, T. Takabatake, M. Ito, Y. Matsumoto, F. Masaki, T. Suzuki and T. Fujita 312

Tunneling spectroscopy of the Kondo-semiconducting gap in YbB_{12}
T. Ekino, H. Umeda, F. Iga, N. Shimizu, T. Takabatake and H. Fujii 315

Optical study of the gap formation and low-energy excitations in YbB_{12}
H. Okamura, S. Kimura, H. Shinozaki, T. Nanba, F. Iga, N. Shimizu and T. Takabatake 317

Neutron-diffraction study of quadrupole order in TmTe: observation of a field-induced magnetic superstructure
P. Link, A. Gukasov, J.-M. Mignot, T. Matsumura and T. Suzuki 319

Theory of antiferro-quadrupolar ordering of TmTe – similarity and dissimilarity with CeB_6
R. Shiina and H. Shiba 322

Large crystal field splitting of a Tm^{2+} ion in $Tm_xLa_{1-x}Te$
T. Matsumura and T. Suzuki 324

Physical properties of Tm monochalcogenides under pressure
M. Ohashi, N. Takeshita, H. Mitamura, T. Matsumura, T. Suzuki, T. Goto, H. Ishimoto and N. Môri 326

Magnetization of Tm monochalcogenides in high magnetic fields
Y. Nakanishi, F. Takahashi, T. Sakon, H. Nojiri, M. Motokawa, T. Matsumura and T. Suzuki 329

Anisotropic magnetic phase diagram of $Ce_3Pd_{20}Ge_6$ with quadrupolar ordering
J. Kitagawa, N. Takeda, M. Ishikawa, T. Yoshida, A. Ishiguro, N. Kimura and T. Komatsubara 332

Quadrupolar ordering of $Ce_3Pd_{20}Ge_6$
O. Suzuki, T. Horino, Y. Nemoto, T. Goto, A. Dönni, T. Komatsubara and M. Ishikawa 334

Crystalline electric field excitations in $R_3Pd_{20}Ge_6$ (R = Ce, Pr, Nd)
L. Keller, A. Dönni, M. Zolliker and T. Komatsubara 336

Magnetic properties of $R_3Pd_{20}Ge_6$ (R = Pr and Nd)
N. Kimura, N. Tateiwa, M. Nakayama, H. Aoki, T. Komatsubara, T. Sakon, M. Motokawa, Y. Koike and N. Metoki 338

Magnetization study on the antiferro-quadrupolar ordering in $PrPb_3$
T. Sakakibara, T. Tayama, K. Tenya, H. Amitsuka, D. Aoki, Y. Ōnuki and Z. Kletowski 340

Magnetism in $R_2T_3X_9$ (R = Ce, Yb, U; T = Rh, Ir; X = Al, Ga) intermetallic compounds
A. Hiess, S. Coad, B. Buschinger, O. Trovarelli, J.X. Boucherle, F. Givord, T. Hansen, E. Lelievre-Berna, E. Suard, C. Geibel and F. Steglich 343

The energy gap of SmB_6 at low temperatures
S. Gabáni, K. Flachbart, P. Farkašovský, V. Pavlík, I. Bat'ko, T. Herrmannsdörfer, E. Konovalova and Y. Paderno 345

Low-energy spectroscopy of SmB_6
M. Dressel, B. Gorshunov, N. Sluchanko, A. Volkov, G. Knebel, A. Loidl and S. Kunii 347

Charge and magnetic ordering in mixed valence system $Sm_4(Bi_{1-x}Sb_x)_3$
H. Aoki, A. Ochiai and T. Suzuki 349

Spin–orbit transitions in mixed-valence samarium compounds
P.A. Alekseev, J.-M. Mignot, P. Link, W. Hahn, A. Ochiai, V. Filippov, E.V. Nefeodova and E.S. Clementyev 351

Chapter 6. Non-Fermi liquid behavior

Theories of non-Fermi liquid behavior in heavy fermions
P. Coleman 353

Localization effects in disordered Kondo lattices
E. Miranda and V. Dobrosavljević 359

Spectral densities for response functions of a marginal fermi liquid model
S. Bradley, R. Bulla and A.C. Hewson 362

Effect of disorder in the periodic Anderson model
F. Chen and N. Kioussis 364

Non-Fermi-liquid behavior of impurity Anderson model with non-Kramers doublet ground state
Y. Shimizu, O. Sakai and S. Suzuki 366

Trial wave functions for quantum Hall edge states
S. De Filippo and C. Lubritto 368

Spin dynamics near the quantum critical point of heavy fermions
C. Pépin and M. Lavagna 370

Scaling analysis of the susceptibility of $Ce(Ru_{1-x}Rh_x)_2Si_2$ in the Fermi and non-Fermi liquid ranges
J. Souletie, Y. Tabata, T. Taniguchi and Y. Miyako 372

μ^+SR observation of magnetic ordering and non-Fermi liquid scaling in $CeCoGe_{1.8}Si_{1.2}$
V.V. Krishnamurthy, I. Watanabe, S. Ohira, K. Nishiyama, K. Nagamine, M. Ishikawa, D.H. Eom and N. Takeda 374

Spin dynamics at the magnetic instability in $CeCu_{6-x}Au_x$
O. Stockert, H. v. Löhneysen, A. Rosch, N. Pyka and M. Loewenhaupt 376

Nuclear magnetic relaxation of $CeCu_{6-x}Au_x$ for $0 \leqslant x \leqslant 1$
T. Omuta, K. Fujiwara, J. Takeuchi, Y. Kohori and T. Kohara 378

Low-temperature thermal conductivity and thermopower of $CeCu_{6-x}Au_x$ near the magnetic quantum phase transition
J. Benz, C. Pfleiderer, O. Stockert and H. v. Löhneysen 380

Evolution of the magnetic order in $CeCu_{6-x}Au_x$
O. Stockert, A. Schröder, H. v. Löhneysen, N. Pyka, E. Garcia-Matres, R.v.d. Kamp, S. Welzel and M. Loewenhaupt 383

Interplay of magnetic order and electronic transport in $CeCu_{6-x}Au_x$
A. Rosch, P. Wölfle, A. Neubert, A. Schröder, O. Stockert, U. Tutsch and H. v. Löhneysen 385

Quantum critical behavior of magnetic field-dependent resistivity of $CeCu_{6-x}Ag_x$
E.-W. Scheidt, T. Schreiner, K. Heuser and G.R. Stewart 388

Hall effect and thermoelectric power in the systems exhibiting the non-Fermi liquid behaviors
H. Sato, J. Urakawa, Y. Aoki, T. Namiki, H. Sugawara, Y. Onuki, H. Amitsuka and T. Sakakibara 390

Inducement of non-Fermi-liquid behavior with magnetic field in heavy-fermion antiferromagnets
K. Heuser, J.S. Kim, E.W. Scheidt, T. Schreiner and G.R. Stewart 392

Spin fluctuations of dilute alloys $(Ce_xLa_{1-x})Cu_{2.2}Si_2$
K. Fujiwara, H. Matsumoto and J. Takeuchi 395

Specific heat study on dilute cerium alloys $Ce_xLa_{1-x}Pd_2Al_3$
S. Nishigori, K. Fujiwara and T. Ito 397

Ground state properties of $Ce(Pd_{1-x}Ni_x)_2Ge_2$ and $CeNi_2(Ge_{1-y}Si_y)_2$
G. Knebel, M. Brando, J. Hemberger, M. Nicklas, W. Trinkl and A. Loidl 399

Low temperature properties in $Ce(Co_{1-x}Cu_x)_2Ge_2$
K. Maeda, H. Sugawara, T.D. Matsuda, T. Namiki, Y. Aoki, H. Sato and K. Hisatake 401

Evidence for an antiferromagnetic quantum critical point near stoichiometric $CeCu_2Si_2$
P. Gegenwart, M. Lang, A. Link, G. Sparn, C. Geibel, F. Steglich and W. Assmus 403

Non-Fermi-liquid signatures in stoichiometric Ce_7Ru_3 at ambient pressure
J.G. Sereni, O. Trovarelli, G. Schmerber and J.P. Kappler 405

Magnetic instability in Ce_7Ni_3 studied by low-temperature specific heat and magnetic susceptibility
K. Umeo, T. Pietrus, H. v. Löhneysen and T. Takabatake 407

Non-Fermi-liquid behaviour in U_2Pt_2In
P. Estrela, A. de Visser, F.R. de Boer, G.J. Nieuwenhuys, L.C.J. Pereira and M. Almeida 409

Anomalous transport properties of dilute uranium alloys $R_{1-x}U_xRu_2Si_2$(R = Th,Y;$x \leqslant 0.07$)
H. Amitsuka, K. Kuwahara, T. Yoshida, K. Tenya, T. Sakakibara, M. Mihalik and A.A. Menovsky 412

Non-Fermi-liquid behaviour of UCoAl
A.V. Kolomiets, L. Havela, V. Sechovský, L.E. DeLong, D.B. Watkins and A.V. Andreev 415

Quadrupolar Kondo effect in $U_3Ni_3Sb_{4-x}Sn_x$ alloys
B.D. Rainford, D.T. Adroja, G.J. Bowden and I.M. Benson 417

Ground state properties of $U_{1-x}Th_xBe_{13}$ ($0 \leqslant x \leqslant 0.15$)
F.G. Aliev, J.L. Martinez, H. Noél, C. Sirvent, A. Izquierdo, S. Vieira and R. Villar 419

Magnetic susceptibility and magnetoresistance of non-Fermi liquid $U_{1-x}Th_xPd_2Al_3$
A.M. Strydom, P. de V. du Plessis and R. Troć 421

Non-Fermi liquid behavior in $U_{3-x}Ni_3Sn_{4-y}$ single crystals
L. Shlyk, J.C. Waerenborgh, P. Estrela, A. deVisser, L.E. DeLong, A.M. Gurevich and M. Almeida 423

Evolution of a non-Fermi-liquid state in $YbCu_{5-x}Al_x$
E. Bauer, R. Hauser, H. Michor, G. Hilscher, A. Galatanu, M. Galli, J.G. Sereni and P. Bonville 426

Non-Fermi liquid ground state in magnetic multilayers tuned by electric and magnetic fields
F.G. Aliev, V.V. Moshchalkov and Y. Bruynseraede 429

Is $CaRuO_3$ a non-Fermi liquid metal?
L. Klein, L. Antognazza, T.H. Geballe, M.R. Beasley and A. Kapitulnik 431

Chapter 7. Superconductivity (theory)

Approaches to the theory of high temperature superconductivity
J.R. Schrieffer 433

Unconventional properties of superconducting cuprates
A.V. Chubukov and D.K. Morr 440

Nonmagnetic impurities in the spin-gap phase of the cuprates
C. Pépin and P.A. Lee 443

Marginal stability of d-wave superconductors
A.V. Balatsky and R. Movshovich 446

Quasiparticles in doped CuO_2 and Cu_3O_4 planes
J. Bała and A.M Oleś 449

Spectral weights in the charge-transfer model
A.M Oleś, L.F. Feiner and H. Eskes 451

Tunnel currents between partially-gapped superconductors with charge-density waves
A.M. Gabovich and A.I. Voitenko 454

CDW scenario for pseudogap in normal state of bilayer cuprates
M.V. Eremin, I.A. Larionov and S.V. Varlamov 456

Spin fluctuations and superconductivity in doped cuprates midgap states
A.I. Agafonov and E.A. Manykin 458

Effect of non-magnetic impurity in superconducting states of t–J model
K. Kuboki, H. Tanaka and M. Sigrist 460

Virtual bound states in d-wave van Hove superconductors
M. Crisan and I. Tifrea 462

$2\Delta(0)/T_c$ ratio in d-wave superconductors
I. Tifrea, I. Grosu and M. Crisan 464

Numerical study for vortex lattice transition in d-wave superconductors with extended Ginzburg–Landau model
A. Fujita 466

Interrelation between the spin pseudogap and the staggered susceptibility in bilayered cuprates
A. Goto and T. Shimizu 468

On the coexistence of d-wave pairing and strong local correlations
Th. Pruschke, B. Steininger, H. Hetznecker and J. Keller 471

A study of the pairing symmetry in the p–d model
R. Citro and M. Marinaro 473

Skyrmion-like states and quasi-molecular excitations in the doped cuprates
A.S. Moskvin and A.S. Ovchinnikov 476

Density of states in impure unconventional superconductors
R. Joynt 479

Transport phenomenology for a holon–spinon fluid
D.K.K. Lee and P.A. Lee 481

Wave guide perturbative solutions of Ginzburg–Landau equation. Infinite conductivity and discrete values of critical temperature in superconductors
M. Agop, C.Gh. Buzea and N. Rezlescu 483

k-space broadening in a non-Fermi liquid based model of high-T_c superconductivity
J.O. Fjærestad and A. Sudbø 485

Generalized double t–J model and the Zhang–Rice singlet formation in the Cu_3O_4 plane of copper oxychlorides
L. Surakshina and V. Yushankhai 487

New symmetry breaking in high T_c superconductors
S. Charfi-Kaddour, A.B. Ali, M. Héritier and R. Bennaceur 489

Stability of Fulde–Ferrell–Larkin–Ovchinnikov state in type-II superconductors against the phase fluctuations
H. Shimahara 492

Electron spin interactions and Meissner effect
C. Buzea and T. Yamashita 494

The collective excitations in heavy-fermion superconductors under d-pairing
P. Brusov, N. Kulik and P. Brusov 496

Migdal's theorem in heavy fermion systems
R.J. Wojciechowski 498

Pseudogap in the one-electron spectral functions of the attractive Hubbard model
M. Capezzali and H. Beck 501

Theory of impurity-induced NMR line broadening in underdoped cuprates
G. Khaliullin, S. Krivenko, R. Kilian and P. Fulde 504

Stability of the striped phase in the two-dimensional t–J model: A variational Monte Carlo study
K. Kobayashi and H. Yokoyama 506

Doping dependence of the delocalization energy of spin polarons
M. Acquarone 509

Chapter 8. High T_c superconductivity (experiments)

NMR study of high-T_c superconductors and related materials
K. Ishida, Y. Tokunaga, Y. Kitaoka, G.-Q. Zheng, K. Magishi, H. Mukuda, H. Tou, T. Mito and K. Asayama 511

Destruction of the Fermi surface in underdoped cuprates
J.C. Campuzano, H. Ding, M.R. Norman and M. Randeria 517

The specific heat of $YBa_2Cu_3O_{7-\delta}$: evidence for d-wave pairing
N.E. Phillips, J.P. Emerson, D.A. Wright, B.F. Woodfield, J.E. Gordon and R.A. Fisher 522

Direct observation of the quasiparticle relaxation in $YBa_2Cu_3O_7$
A. Pimenov, A. Loidl, G. Jakob and H. Adrian 524

Scaling behavior in normal-state properties of underdoped TmBaCuO single crystals
E.B. Amitin, V.Ya. Dikovsky, A.N. Lavrov and A.P. Shelkovnikov 526

Delocalization of holes and restitution of superconductivity in Pr substituted at rare earth and Ba site in $LnBa_2Cu_3O_7$(Ln = Nd, Sm)
L. Colonescu, F. Cairon, J. Berthon, I. Zelenay and R. Suryanarayanan 528

Valence of Pr in $Y_{0.8}Pr_{0.2}Ba_2Cu_3O_7$ and $PrBa_2Cu_{3-x}Co_xO_7$ ($0 \leqslant x \leqslant 1$)
E. Alleno, C. Godart, B. Fisher, J. Genossar, L. Patlagan and G.M. Reisner 530

Superconducting and structural properties of $PrBa_2Cu_3O_x$ under high pressure
J. Ye, Z. Zou, K. Oka, Y. Nishihara, A. Matsushita and T. Matsumoto 533

Fluctuation effects in underdoped YBCO from susceptibility and nuclear relaxation
P. Carretta, A. Lascialfari, A. Rigamonti, A. Rosso and A.A. Varlamov 536

Correlation between hole concentration and T_c in $(La_{2-x}Y_x)Ba_2(Ca_yCu_{4+y})O_z$ superconductors
D.G. Kuberkar, N.A. Shah, M.V. Subbarao, A.G. Joshi and R.G. Kulkarni 538

Polaron contribution to the infrared reflectivity of the (Ca, Sr, Nd)CuO_2 infinite layer structure
A. Paolone, P. Calvani, G. De Marzi and P. Dore 540

Investigation of electron–phonon interaction in $La_{2-x}Sr_xCuO_4$ by Raman scattering
S. Nimori, H. Hata, N. Ogita, S. Sakita, N. Kikugawa, F. Nakamura, T. Fujita and M. Udagawa 542

μSR study of magnetically ordered state of the Zn-substituted La–Sr system
I. Watanabe and K. Nagamine 544

The specific heat of $(La_{1.85}Sr_{0.15})CuO_4$: evidence for d-wave pairing
N.E. Phillips, R.A. Fisher, A. Schilling, B. Buffeteau, T.E. Hargreaves, C. Marcenat, R. Calemczuk, A.S. O'Connor, K.W. Dennis and R.W. McCallum 546

Polaron softening with doping and temperature in high-T_c cuprates
P. Giura, S. Lupi, P. Calvani, P. Roy, M. Capizzi, P. Maselli and V. Raimondi 548

Magnetic dimensional crossover in Pr-doped single crystal $Bi_2Sr_2Ca_{0.89}Pr_{0.11}Cu_2O_{8+\delta}$
H.C. Ku, C.Y. Lin, Y.Y. Hsu, X.-G. Li and X.F. Sun 550

The infrared properties of $Bi_{2.07}Sr_{1.8}CuO_{6+\delta}$ and $Bi_2Sr_{1.6}La_{0.4}CuO_{6+\delta}$ superconductors
N. Hudáková and D. Sedmidubský 552

Tunneling measurements of as grown $Bi_2Sr_2CaCu_2O_{8+\delta}$ single crystals
Y. Sezaki, T. Ekino and H. Fujii 555

μSR study on the magnetic state of the Zn-substituted Bi-2212 system
I. Watanabe, M. Akoshima, Y. Koike and K. Nagamine 557

Pseudogap behavior in single crystals of $Bi_2Sr_2CaCu_2O_{8+\delta}$
K. Ishida, Y. Tokunaga, H. Kotegawa, K. Yoshida, T. Mito, Y. Kitaoka, K. Asayama, Y. Nakayama, J. Shimoyama and K. Kishio 559

Correlations between crystallographic and physical properties in $(Bi, Pb)_2Sr_2(Ca, Y)Cu_2O_{8+\Delta}$ superconductors
L. Manifacier, G. Collin and N. Blanchard 562

New magnetic phenomena in Bi-based dielectrics
V.G. Orlov and E.A. Kravchenko 564

Temperature dependence of the resistivity of oxygen controlled $Bi_2Sr_2CaCu_2O_{8+\delta}$ thin films: pseudogap effect
Z. Konstantinovic, Z.Z. Li and H. Raffy 567

Normal state magnetoresistance in $Bi_2Sr_2CaCu_2O_{8+\delta}$ thin films with different oxygen contents
Z. Konstantinovic, O. Laborde, P. Monceau, Z.Z. Li and H. Raffy 569

NMR study of magnetic excitations and pseudogap in $HgBa_2Ca_3Cu_4O_y$
Y. Tokunaga, K. Ishida, K. Magishi, S. Ohsugi, G.-q. Zheng, Y. Kitaoka, K. Asayama, A. Iyo, K. Tokiwa and H. Ihara 571

Spin susceptibility of the quasi-one-dimensional antiferromagnet CuO
T. Shimizu, T. Matsumoto, A. Goto, K. Yoshimura and K. Kosuge 573

Chapter 9. Borocarbides and heavy fermion superconductors

Rare earth magnetic order in RNi_2B_2C and RNiBC
S. Skanthakumar and J.W. Lynn 576

Hysteresis in the field-induced magnetic structure in $TmNi_2B_2C$
M.R. Eskildsen, K. Harada, P.L. Gammel, N.H. Andersen, G. Ernst, A.P. Ramirez, D.J. Bishop, K. Mortensen and P.C. Canfield 582

Field-dependent response of the heavy Fermi-liquid ground state in $YbNi_2B_2C$
W.P. Beyermann, A.H. Lacerda and P.C. Canfield 584

Superconductivity and the magnetic phase diagram of $DyNi_2B_2C$ at very low temperatures
K. Winzer, Z. Peng and K. Krug 586

Nature of the spin state in $TmNi_2B_2C$
R. Nagarajan, E. Alleno, S.J. Blundell, C. Mazumdar, D.W. Cooke, S.P. Cottrell, S.F.J. Cox, C. Godart, L.C. Gupta, Z. Hossain, W.L. Hults, Th. Jestadt, E.J. Peterson, F.L. Pratt and J.L. Smith 588

Field and temperature dependence of magnetic order in $HoNi_2{}^{11}B_2C$
A. Kreyssig, J. Freudenberger, C. Sierks, M. Loewenhaupt, K.-H. Müller, A. Hoser and N. Stuesser 590

Magnetic excitations in the Kondo-lattice $YbNi_2{}^{11}B_2C$
C. Sierks, M. Loewenhaupt, P. Tils, J. Freudenberger, K.-H. Müller, C.-K. Loong and H. Schober 592

NMR evidence of BCS superconductivity in $Y(Ni_{1-x}Pt_x)_2B_2C$
K. Mizuno, T. Saito, H. Fudo, K. Koyama, K. Endo and H. Deguchi 594

Formation and characterization of $(Pr,Dy)Ni_2B_2C$ samples
H. Takeya and M. Kuznietz 596

The mixed state properties of superconducting YNi_2B_2C
M.-O. Mun, B.K. Cho, S.-I. Lee, P.C. Canfield and D.C. Johnston 599

Effect of pressure on the critical temperature and magnetic field of $TmNi_2B_2C$
G. Oomi, N. Matsuda, F. Honda, T. Kagayama, K. Honda, B.K. Cho and P.C. Canfield 601

The interplay of the superconducting and antiferromagnetic state in $DyNi_2B_2C$
H. Michor, M. El-Hagary, R. Hauser, E. Bauer and G. Hilscher 604

Depression of T_c by nonmagnetic impurities in antiferromagnetic superconductor with $T_c < T_N$
Z. Hossain, R. Nagarajan, S.K. Dhar and L.C. Gupta 606

New results on the low-T phase diagram of $U_{1-x}Th_xBe_{13}$: A thermodynamic study
M. Lang, R. Helfrich, F. Kromer, C. Langhammer, F. Steglich, G.R. Stewart and J.S. Kim 608

Magnetic fluctuations above and below T_c in the heavy fermion superconductor UPd_2Al_3
N. Bernhoeft, B. Roessli, N. Sato, N. Aso, A. Hiess, G.H. Lander, Y. Endoh and T. Komatsubara 614

Tunneling into epitaxial UPd_2Al_3 thin films
M. Jourdan, M. Huth, P. Haibach and H. Adrian 621

A thermal-expansion study on the B–T phase diagrams of $U_{1-x}Th_xBe_{13}$ for $0 \leqslant x \leqslant 0.03$
F. Kromer, M. Lang, F. Steglich, J.S. Kim and G.R. Stewart 623

Specific heat measurements near the two irregular points in the phase diagram of $U_{1-x}Th_xBe_{13}$
T. Schreiner, E.-W. Scheidt, P. Kumar and G.R. Stewart 625

Anisotropic magnetoresistance in UBe_{13}
Y. Haga, E. Yamamoto, T. Honma, A. Nakamura, M. Hedo, S. Araki, H. Ohkuni and Y. Onuki 627

Strong coupling superconductivity in heavy-fermion systems
L. Glémot, J.P. Brison, J. Flouquet and A.I. Buzdin 629

Magnetic properties of UPd_2Al_3 thin films investigated by resonant magnetic X-ray scattering
A. Hiess, N. Bernhoeft, S. Langridge, C. Vettier, M. Jourdan, M. Huth, H. Adrian and G.H. Lander 631

Correlation between low-energy spin fluctuations and superconductivity in UPd_2Al_3 and UPt_3
N. Sato 634

Single crystal growth and physical properties in $UPd_2(Al_{1-x}Ga_x)_3$
N. Aso, N. Sato and T. Komatsubara 636

Point-contact study of the heavy-fermion systems UPd_2Al_3 and UNi_2Al_3
O.E. Kvitnitskaya, Yu.G. Naidyuk, A. Nowack, K. Gloos, C. Geibel, A.G.M. Jansen and P. Wyder 638

^{105}Pd NMR/NQR studies in UPd_2Al_3
K. Matsuda, Y. Kohori and T. Kohara 640

de Haas–van Alphen effect of the heavy-fermion superconductor URu_2Si_2
Y. Inada, H. Ohkuni, M. Hedo, Y. Tokiwa, K. Sakurai, Y. Haga, E. Yamamoto, T. Honma and Y. Onuki 642

Neutron spin-echo study of URu_2Si_2
B. Fåk, B. Farago and N.H. van Dijk 644

Unusual temperature dependence of the ordered moment in URu_2Si_2
T. Honma, Y. Haga, E. Yamamoto, N. Metoki, Y. Koike, H. Ohkuni and Y. Ōnuki 646

Investigation of the crystal structure of URu_2Si_2 by high-resolution X-ray diffraction
N. Kernavanois, P. Dalmas de Réotier, A. Yaouanc, J.-P. Sanchez, K.D. Liß and P. Lejay 648

H_{c3} as a probe for unconventional superconductivity
L. Glémot, J.P. Brison, P. Lejay and J. Flouquet 650

Uniaxial stress variation of magnetic and superconducting properties of URu_2Si_2
A. Guillaume, B. Salce, J. Flouquet and P. Lejay 652

Microwave surface impedance measurements on the heavy fermion superconductor UPt_3
C.T. Lin, B.K. Sarma and J.B. Ketterson 654

Velocity dispersion at the metamagnetic transition in UPt_3
J.R. Feller, D. Dasgupta, H. Zhang, D.G. Hinks, J.B. Ketterson and B.K. Sarma 656

The superconducting phase diagram of $U(Pt_{1-x}Pd_x)_3$
R.J. Keizer, A. de Visser, A.A. Menovsky and J.J.M. Franse 658

Neutron scattering study on heavy fermion superconductors
N. Metoki, Y. Koike, Y. Haga and Y. Ōnuki 660

Neutron scattering study of the antiferromagnetic ordering in UPt_3 at mK-temperatures
Y. Koike, N. Metoki, N. Kimura, E. Yamamoto, Y. Haga, Y. Ōnuki and K. Maezawa 662

Scaling of the thermal conductivity in the mixed phase of UPt_3
H. Suderow, J.P. Brison, A. Huxley and J. Flouquet 664

Studies of superconductivity in $U(Pt_{1-x}Pd_x)_3$ for $x < 0.006$
M.J. Graf, R.J. Keizer, A. de Visser and J.J.M. Franse 666

Study on antiferromagnetism of $U(Pt_{1-x}Pd_x)_3$ by heat capacity measurement
K. Kumagai, T. Suzuki, Y. Kohori and T. Kohara 668

The critical current and irreversible magnetisation in UPt_3
S. Kambe, A. Huxley, P. Rodière, C. Paulsen and J. Flouquet 670

Penetration depth and torque of superconducting UPt_3
S. Schöttl, E. Schuberth, K. Flachbart, J. Kycia and A. Menovsky 672

Josephson effect with heavy-fermion superconductors
K. Gloos, F. Anders, S. Nuettgens and W. Aßmus 674

Superconductivity of Ce-based heavy fermions under pressure: Valence fluctuation mediated pairing associated with valence instability of Ce
K. Miyake, O. Narikiyo and Y. Onishi 676

Crossover behavior from magnetism to superconductivity in $Ce_xCu_2Si_2$
K. Ishida, Y. Kawasaki, K. Tabuchi, K. Kashima, Y. Kitaoka, K. Asayama, C. Geibel and F. Steglich 678

Growth and characterisation of $CeCu_2Si_2$ single crystals
S. Nüttgens, W. Assmus, D. Finsterbusch, B. Wolf, G. Bruls and B. Lüthi 681

Interplay of magnetism and superconductivity in $CeCu_2Si_2$ under hydrostatic pressure.
I. Sheikin, D. Braithwaite, J.-P. Brison, A. Buzdin and W. Assmus 683

Magnetic properties of $Ce_xLa_{1-x}Cu_{2.05}Si_2$
I. Aviani, M. Miljak, V. Zlatić, B. Buschinger and C. Geibel 686

Characterization and flux flow experiments in $CeRu_2$
M. Hedo, Y. Kobayashi, Y. Inada, E. Yamamoto, Y. Haga, J. Suzuki, N. Metoki, Y. Ōnuki, H. Sugawara, H. Sato, K. Tenya, T. Tayama, H. Amitsuka and T. Sakakibara 688

Point-contact investigation of $CeRu_2$ in magnetic field
A.V. Moskalenko, Yu.G. Naidyuk, I.K. Yanson and C. Geibel 690

Field-history-dependent peak effect in the superconducting mixed state of $CeRu_2$
K. Tenya, S. Yasunami, T. Tayama, H. Amitsuka, T. Sakakibara, M. Hedo, Y. Inada, Y. Haga, E. Yamamoto and Y. Ōnuki 692

Effect of pressure on the flux flow resistance of $CeRu_2$
T. Kagayama, R. Kitakoga, G. Oomi, K. Honda, M. Hedo and Y. Ōnuki 694

A low field study of the flux line lattice in $CeRu_2$
A. Huxley, N.H. van Dijk, D. McK Paul, R. Cubitt and P. Lejay 696

Magnetoresistivity below T_N in $CeMo_6S_8$
F. Lapierre, P. Haen, F. Le Berre, O. Peña and R. Horyn 699

NMR in Chevrel-phase solid solution $Mo_6Se_{8-x}Te_x$
C. Hamard, M. Le Floch, O. Peña and A. Wojakowski 701

The valence of Ru, Ce and Eu ions in the magneto-superconductor $Eu_{1.5}Ce_{0.5}RuSr_2Cu_2O_{10}$
I. Felner, U. Asaf, C. Godart and E. Alleno 703

Antiferromagnetic ordering in the cubic superconductor $YbPd_2Sn$
A. Dönni, P. Fischer, F. Fauth, P. Convert, Y. Aoki, H. Sugawara and H. Sato 705

Chapter 10. Metal–insulator transition (theory) and Hubbard model

Coulomb effects at the metal–insulator transition of disordered electrons
Q. Si and C.M. Varma 707

The Mott transition in V_2O_3 and $NiSe_xS_{2-x}$: insights from dynamical mean field theory
G. Kotliar 711

Mott transition in the two-dimensional Hubbard model
A. Pérez-Navarro, J. Costa-Quintana and F. López-Aguilar 715

Bulk and surface electronic structure of NiO and CoO: a comparative ab initio LSDA + U analysis and application to the interpretation of STM images
S.L. Dudarev, M.R. Castell, G.A.D. Briggs and A.P. Sutton 717

Metal–insulator transition: a new mean-field approximation
L. Didukh, V. Hankevych and Yu. Dovhopyaty 719

Metal-insulator transition in the Hubbard model
R. Bulla, Th. Pruschke and A.C. Hewson 721

Spin and charge fluctuations in the t–J model
G. Jackeli and N.M. Plakida 723

A study of the Hubbard–Holstein model on a four-site chain
M. Acquarone, M. Cuoco, C. Noce and A. Romano 725

Destruction of the low-energy spectral weight in 2-D Hubbard model
V. Zlatić, B. Horvatić, S. Grabowski and P. Entel 727

Quasiparticle broadening in insulating copper oxides
M. Fleck, J. van den Brink, A.I. Lichtenstein, A.M. Oleś and L. Hedin 729

Dynamical incommensurability in the 2D Hubbard model
A. Avella, F. Mancini and D. Villani 732

Few correlated particles in the Hubbard model
J.E. Espinosa, O. Navarro and M. Avignon 734

Finite-size clusters in a discrete Hubbard model with transverse and longitudinal magnetic fields
A.N. Kocharian, A.K. Jermakian and A.S. Saakian 736

Crossover in the attractive one-dimensional Hubbard model for general electron concentrations
A.N. Kocharian, C. Yang, Y.L. Chiang and N. Kioussis 739

Off-diagonal wave function Monte Carlo method for the Hubbard model
T. Yanagisawa, S. Koike and K. Yamaji 742

c-axis transport in the bilayer *t*–*J* model
W. Heindl, T. Pruschke and J. Keller 745

Magnetic properties of the three-band Hubbard model
Th. Maier, M.B. Zoelfl, Th. Pruschke and J. Keller 747

Shadow bands of the spin polaron
R. Hayn, A.F. Barabanov and L.A. Maksimov 749

Correlated electrons in an external magnetic field
V. Janiš 751

Charge renormalization in the 1D Hubbard model
M.M. Sánchez, A. Avella and F. Mancini 753

A new analysis of optical excitations in the Hubbard model
F. Mancini, N. Perkins and D. Villani 755

Density matrix approach to Gutzwiller method for degenerate bands
J.P. Julien 757

Effective mass at the surface of a Fermi liquid
M. Potthoff and W. Nolting 760

Multi-band effective tight-binding model for the CuO_2 plane and hole dispersion in $Sr_2CuO_2Cl_2$
V.Yu. Yushankhai, R. Hayn and H. Rosner 762

Stripe phase orders of charge and spin for the 2-D systems of strongly correlated electrons at and near half-filling
C.-H. Yang, N.D. Kim, K. Park and S.-H. Suck Salk 764

Some results on the phase diagram of the 2D Hubbard model using an analytic Lanczos method
C.J. Wellard, N.S. Witte and L.C.L. Hollenberg 766

Charge ordering in the extended Hubbard model
R. Pietig, S. Blawid and R. Bulla 769

Two-particle states in the generalized Hubbard model
L.A. Pérez and C. Wang 771

Evolution of single-particle green functions with correlation in the Hubbard model at half-filling: sum rules for the spectral density
J.J. Rodríguez-Núñez, S. Schafroth and H. Beck 773

One-electron Green function for the Hubbard model including next nearest neighbor hopping
R. Kirchhofer, R. Frésard, H. Beck and J.J. Rodríguez-Núñez 775

More upon the properties of correlated electrons
J. Szeftel 777

Singularities of one-particle Green's function in doped antiferromagnet
R.O. Kuzian, R. Hayn and L.B. Litinskii 779

Strongly correlated polarons
V.A. Moskalenko, P. Entel and D.F. Digor 781

Relation between spin and pseudospin in strongly correlated electronic systems
O.P. Sushkov 783

Dynamical density–density correlation in the one-dimensional three-band Hubbard model
J. Richter, C. Waidacher and K.W. Becker 785

Hubbard model on hypercubes
R. Assaraf, M. Caffarel and R. Mosseri 787

Some speculations about a modifications of well-known models
A.F. Zhuravlyov 790

Fermi-edge singularities and related phenomena in 2d-0d magneto-tunnelling
K.A. Benedict 792

Quantum turbulence and resonant tunneling
M. Azbel 794

Chapter 11. Manganites and metal–insulator transition (experiments)

Magnetic and orbital ordering in the manganites
L.F. Feiner and A.M. Oleś 796

Charge ordering in rare-earth manganese oxides
B.I. Min, J.D. Lee and J.H. Park 799

Spin excitations in ferromagnetic manganites
J. Loos and H. Fehske 801

Magnetoimpurity theory of the colossal magnetoresistance materials
E.L. Nagaev 803

Orbital liquid state in ferromagnetic manganites
R. Kilian and G. Khaliullin 805

Orbitons in ferromagnetic insulating manganites
J. van der Brink, P. Horsch, F. Mack and A.M. Oleś 807

Quantum spins in the double exchange model of manganites
D.M. Edwards, A.C.M. Green and K. Kubo 810

Spin polarised tunnelling in granular polycrystalline colossal magnetoresistive manganites
P. Raychaudhuri, P. Taneja, A.K. Nigam, P. Ayyub, R. Pinto and A. Patade 812

Static ferromagnetic modulation in $La_{1-x}Ca_xMnO_3$: assembly of interacting magnetic polarons
M. Hennion, G. Biotteau, F. Moussa, J. Rodriguez-Carvajal, L. Pinsard and A. Revcolevschi 814

Anomalies of volume magnetostriction and thermal expansion in $La_{1-x}Sr_xMnO_3$ due to magnetic two-phase state
L.I. Koroleva and R.V. Demin 816

Polarons in $La_{0.97}MnO_3$
S. de Brion, G. Chouteau and P. Lejay 818

Colossal magnetoresistance and superconductivity in REAMnO/YBCO heterostructures
P. Przysłupski, T. Nishizaki, N. Kobayashi, S. Koleśnik, T. Skośkiewicz and E. Dynowska 820

μ^+SR studies on $(Nd_{1-y}Sm_y)_{0.5}Sr_{0.5}MnO_3$
W. Higemoto, K. Nishiyama, I. Watanabe, K. Nagamine, A. Asamitsu, H. Kuwahara and Y. Tokura 822

Temperature dependence of the muon spin relaxation in $Pr_{1/2}Sr_{1/2}MnO_3$
R.I. Grynszpan, I.M. Savic, S. Romer, X. Wan, J. Fenichel, C.M. Aegerter, H. Keller, D.R. Noakes, C.E. Stronach, A. Maignan, C. Martin and B. Raveau 824

Anomalous spin dynamics in $La_{0.9}Ca_{0.1}MnO_3$
G. Biotteau, M. Hennion, F. Moussa, J. Rodriguez-Carvajal, L. Pinsard and A. Revcolevschi 826

An impurity resistivity of doped manganese perovskites
V.A. Gavrichkov and S.G. Ovchinnikov 828

Magnetism and colossal magnetoresistance of $Tl_2Mn_2O_7$
Yu.V. Sushko, Y. Kubo, Y. Shimakawa and T. Manako 831

Colossal magnetoresistance in $La_{2-2x}Sr_{1+2x}Mn_2O_7$ single crystals
W. Prellier, R. Suryanarayanan, G. Dhalenne, J. Berthon, J.-P. Renard, C. Dupas and A. Revcolevschi 833

Magnetic and transport properties of the electron doped layered manganite $La_{2.3-x}Y_xCa_{0.7}Mn_2O_7$
P. Raychaudhuri, A.K. Nigam, C. Mitra, S.K. Dhar and R. Pinto 835

Semiconductor–metal transition, thermoelectric power and giant magneto resistance of the double Mn perovskite-$La_{1.5}Ca_{1.5}Mn_2O_7$
R. Suryanarayanan, J. Berthon, I. Zelenay, B. Martinez and X. Obradors 837

Oscillating magnetic behavior in $La_{1+x}Sr_{2-x}Mn_2O_7$
S.Y. Wu, W.-H. Li, K.C. Lee and H.D. Yang 839

Localisation of Mn 3d states in semi-Heusler compounds
J. Pierre, K. Kaczmarska, J. Tobola, R.V. Skolozdra and G.A. Melnyk 841

Positive magnetoresistance in $LaMn_2Ge_2$-based ferromagnetic alloys
S. Majumdar, R. Mallik, E.V. Sampathkumaran and P.L. Paulose 843

Giant magnetoresistance in Heusler-type rare earth and 3d semiconductors
J. Pierre, I. Karla and K. Kaczmarska 845

Magnetic quantum phase transition in MnSi
C. Thessieu, Y. Kitaoka and K. Asayama 847

Bandwidth control in a $3d^1$ perovskite vanadate $Ca_{1-x}Sr_xVO_3$
I.H. Inoue, N. Shirakawa, O. Goto, H. Makino and M. Ishikawa 849

Magnetotransport measurements on V_2O_3 under high pressure
S. Mederle-Hoffmeister, S. Klimm, M. Klemm and S. Horn 851

Optical response of $PrRu_4P_{12}$ due to metal–insulator transition
T. Nanba, M. Hayashi, I. Shirotani and C. Sekine 853

Electronic transport and antiferromagnetism in $BaCoS_{2-y}$ ($y = 0, 0.1$)
B. Fisher, J. Genossar, L. Patlagan, G.M. Reisner and A. Knizhnik 855

Instability of metallic phase in $CuIr_2Se_4$ at high pressure
J. Tang, T. Matsumoto, T. Naka, T. Furubayashi, S. Nagata and N. Matsumoto 857

Tunneling spectroscopy on the correlation effects in FeSi
M. Fäth, J. Aarts, A.A. Menovsky, G.J. Nieuwenhuys and J.A. Mydosh 860

Low temperature specific heat of NbSi Anderson insulator measured by cryogenic bolometry
S. Marnieros, L. Bergé, A. Juillard and L. Dumoulin 862

Magnetism and electrical transport in $Fe_{0.9}TM_{0.1}Si$, TM = Co, Rh, Ru
S. Paschen, D. Pushin, H.R. Ott, D.P. Young and Z. Fisk 864

On electronic structure and pressure response of $FeSi_{1-x}Ge_x$
Ch. Reichl, G. Wiesinger, G. Zaussinger, E. Bauer, M. Galli and F. Marabelli 866

Mott transition and antiferromagnetic ordering in intercalated-C_{60} superconductor
H. Tou, Y. Maniwa, H. Shimoda, Y. Iwasa and T. Mitani 868

Chapter 12. Magnetism

Pseudodipolar interaction in noncollinear antiferromagnets and spin waves in Pr_2CuO_4
S.V. Maleyev, D. Petitgrand, Ph. Bourges and A.S. Ivanov 870

Low-energy magnetic dynamics of Nd-moments in Nd_2CuO_4
M. d'Astuto, P. Bourges, H. Casalta, A. Ivanov and D. Petitgrand 875

Magnetic field dependence of low-energy magnetic correlations in $Nd_{2-x}Ce_xCuO_4$
N.M. Pyka, A. Metz, M. Loewenhaupt, W. Schmidt, A.A. Menovsky and R. van de Kamp 877

In-plane copper spin wave gap in Pr_2CuO_4
A.S. Ivanov, P. Bourges and D. Petitgrand 879

Disorder and frustration in heavy-fermion compounds
J.A. Mydosh 882

Magnetic properties of NdTX (T = Cu, Ag, Au; X = Sn, Pb) compounds
Y. Öner, S. Senoussi, O. Sologub and P. Salamakha 887

High-field magnetization of triangular lattice antiferromagnet: $GdPd_2Al_3$
H. Kitazawa, H. Suzuki, H. Abe, J. Tang and G. Kido 890

Magnetic anomalies in Gd_2PdSi_3
R. Mallik, E.V. Sampathkumaran, P.L. Paulose, H. Sugawara and H. Sato 892

Anomalous behavior of physical properties in RMg_2Ni_9 (R = Ce and Pr) with a two-dimensional rare earth arrangement
H. Fukuda, H. Fujii, Y. Matsumoto, T. Suzuki, T. Fujita, K. Kadir and T. Sakai 894

Metamagnetic transitions based on the quadrupole moment in RCu_2 single crystals
K. Sugiyama, M. Nakashima, Y. Yoshida, R. Settai, T. Takeuchi, K. Kindo and Y. Ōnuki 896

$(Nd_{1-x}Tb_x)Co_2Ge_2$: a tentative magnetic phase diagram
E.N. Caspi, H. Pinto, H. Shaked and M. Melamud 898

Magnetic studies of $La_{1-x}Sm_xTiO_3$ and $Ln_{1-x}Nd_xTiO_3$ (Ln = Ce and Pr; $0 \leqq x \leqq 1$)
K. Yoshii and A. Nakamura 900

NMR study of the spin state of $RCoO_3$ (R = Pr, Nd, Sm, and Eu)
M. Itoh, M. Mori, S. Yamaguchi and Y. Tokura 902

Thermal expansion study of the structural phase transition in DyB_6 under high pressure
T. Sakai, G. Oomi and S. Kunii 904

Magnetic properties of the spin glass $PrAu_2Si_2$
J. Hemberger, A. Krimmel, M. Nicklas, G. Knebel, M. Paraskevopoulos, W. Trinkl, M. Brando, V. Fritsch and A. Loidl 907

Exchange interactions in itinerant electron ferromagnetic systems
A.C. de Castro Barbosa, M.V. Tovar Costa, R.B. Muniz and J. d'Albuquerque e Castro 909

Magnetic ordering in a system with two interpenetrating square lattice antiferromagnets
J. Richter, D. Schmalfuβ and S. Krüger 911

Critical dynamics of Heisenberg antiferromagnets: correlation functions above Néel point
M.N. Kiselev and K.A. Kikoin 913

Quasiparticles and pairing in doped triangular antiferromagnets
M. Vojta and E. Dagotto 916

Ferromagnetism in the periodic Anderson model
D. Meyer and W. Nolting 918

Ferromagnetism in thin itinerant-electron films
T. Herrmann and W. Nolting 920

Anisotropic spin fluctuations in frustrated itinerant magnets
A. Solontsov, A. Vasil'ev, H. Nakamura and M. Shiga 922

Variation of magnetic order for the 2-D systems of strongly correlated electrons with external magnetic field
C.-S. Kim, S.-S. Lee, K. Park and S.-H. Suck Salk 924

Slave-fermion approach for the 2-D systems of antiferromagnetically correlated electrons based on functional Schrödinger representation
S.-A. Ahn, K. Park, I.E. Dikshtein and S.-H. Suck Salk 926

Chapter 13. Low-dimensional compounds: ruthenates, spin–Peierls and organic systems

Normal state, superconductivity and quasiparticle Fermi surface of the strongly correlated oxide Sr_2RuO_4
S.R. Julian, A.P. Mackenzie, G.G. Lonzarich, C. Bergemann, R.K.W. Haselwimmer, Y. Maeno, S. NishiZaki, A.W. Tyler, S. Ikeda and T. Fujita 928

Transition into a low temperature superconducting phase of unconventional pinning in Sr_2RuO_4
A.C. Mota, E. Dumont, A. Amann and Y. Maeno 934

Spin correlations in Sr_2RuO_4
C. Noce, M. Cuoco and A. Romano 936

Disorder and damage effects in $SrRuO_3$ thin films
Z. Sefrioui, M.A. López de la Torre, D. Arias, M.A. Navacerrada, M. Varela, M. Lucía, J. Santamaría and F. Sánchez-Quesada 938

Quasiparticle structure of Sr_2RuO_4
A. Pérez-Navarro, J. Costa-Quintana and F. López-Aguilar 940

^{17}O and ^{101}Ru NMR study of orbital dependent ferromagnetic correlations in Sr_2RuO_4
A.W. Hunt, K.R. Thurber, T. Imai and F.C. Chou 942

^{17}O NMR probe of spin fluctuations in triplet superconductor Sr_2RuO_4
H. Mukuda, K. Ishida, Y. Kitaoka, K. Asayama, Z.-q. Mao, Y. Mori and Y. Maeno 944

Magnetic properties of bilayered $Sr_3Ru_2O_7$
S. Ikeda and Y. Maeno 947

Metal–insulator transition in $Ca_{2-x}Sr_xRuO_4$
S. Nakatsuji, T. Ando, Z. Mao and Y. Maeno 949

Localization and transport in pseudoternary ruthenates
G. Cao, V. Dobrosavljevic, S. McCall, J.E. Crow and R.P. Guertin 951

Universal phase diagram of Si-, Zn-, Mg- and Ni-doped $CuGeO_3$: spin–Peierls order and antiferromagnetism
B. Grenier, J.-P. Renard, P. Veillet, L.-P. Regnault, J.E. Lorenzo, C. Paulsen, G. Dhalenne and A. Revcolevschi 954

Lattice dimerization in the spin–Peierls compound $CuGeO_3$
B. Büchner, H. Fehske, A.P. Kampf and G. Wellein 956

NMR signal of $CuGeO_3$ in its incommensurate phase – the need for dynamics
D. Foerster, Y. Meurdesoif and B. Malet 958

Electron spin resonance of $CuGeO_3$: Opposite effect of Ni- and Zn- or Si-doping
B. Grenier, A.-L. Barra, P. Monod, S. Clément, J.-P. Renard, G. Dhalenne and A. Revcolevschi 961

LiV_2O_4: a heavy-fermion transition metal oxide?
M. Lohmann, J. Hemberger, M. Nicklas, H.A. Krug von Nidda, A. Loidl, M. Klemm, G. Obermeier and S. Horn 963

Orbital ordering in $BaVS_3$
H. Nakamura, H. Imai and M. Shiga 965

The spin gap of CaV_4O_9 revisited
M. Mambrini and F. Mila 967

Growth and magnetic properties of $(VO)_2P_2O_7$-single crystals
F. Büllesfeld, A.V. Prokofiev, W. Assmus, H. Schwenk, D. Wichert, U. Löw and B. Lüthi 969

^{63}Cu and ^{51}V spin–spin relaxation rates in CuV_2S_4
T. Ohno and Y. Kishimoto 971

Localization effects in the charge density wave state of the quasi-two-dimensional conductors $(PO_2)_4(WO_3)_{2m}$ $(m = 7)$
C. Hess, C. Schlenker, G. Bonfait, E. Gomez Marin, D. Groult, J. Marcus and J. Dumas 974

Electronic structure of a two-dimensional metallic oxide
H. Guyot 976

The symmetry problem in α'-NaV_2O_5
A. Damascelli, D. van der Marel, J. Jegoudez, G. Dhalenne and A. Revcolevschi 978

On the Peierls transition in 2H–$NbSe_2$
Th. Straub, R. Claessen, Th. Finteis, P. Steiner, S. Hüfner, C.S. Oglesby and E. Bucher 981

Thermodynamic, transport and magnetic properties of α'-NaV_2O_5
M. Lohmann, J. Hemberger, M. Nicklas, A. Loidl, M. Klemm, G. Obermeier and S. Horn 983

Andreev reflection measurements on the 2D superconductor $(LaSe)_{1.14}(NbSe_2)_2$
J. Kačmarčík, P. Szabó, P. Samuely, K. Flachbart, A. Nader and A. Briggs 985

New spin-density waves systems: Cu and Fe selenides and tellurides
F. Gonzalez-Jimenez, E. Jaimes, A. Rivas, L. D'Onofrio, J. Gonzalez and M. Quintero 987

Thermal conductivity of inorganic spin–Peierls compounds
V.V. Pryadun, A.N. Vasil'ev, G. Dhalenne, A. Revcolevschi, M. Isobe and Y. Ueda 990

Infrared study of spin–Peierls compound α'-NaV_2O_5
D. Smirnov, J. Leotin, P. Millet, J. Jegoudez and A. Revcolevschi 992

^{89}Y NMR and relaxation in spin-1 Heisenberg antiferromagnetic chain Y_2BaNiO_5
F. Tedoldi and A. Rigamonti 995

NMR study of the spin state and magnetic properties of layered perovskite cobalt oxides $La_{2-x}Sr_xCoO_4$
M. Itoh, M. Mori, Y. Moritomo and A. Nakamura 997

NMR study of two-dimensional itinerant magnets $PtCoO_2$ and $PdCoO_2$ with a triangular lattice
M. Itoh, M. Mori, M. Tanaka and H. Takei 999

The electronic structure of Li_2CuO_2
H. Rosner, R. Hayn and S.-L. Drechsler 1001

Magnetic structure of $S = 1/2$ triangular $Li_{1-x}Ni_{1+x}O_2$
M.D. Núñez-Regueiro, E. Chappel, G. Chouteau and C. Delmas 1003

Spin dynamics of organic linear chain compounds
M. Dumm, M. Dressel, A. Loidl, B.W. Fravel and L.K. Montgomery 1005

Ordering of a quasi-2D organic superconductor κ-$(BEDT\text{–}TTF)_2Cu(NCS)_2$ by magnetic measurements
M. Matsuura, M. Hagiwara, T. Yamao, K. Ogawa and G. Saitoh 1007

Flux penetration into the strongly two-dimensional organic superconductor κ-$(BEDT)_2Cu[N(CN)_2]Br$
Ch. Wälti, D.A. Brawner, H.R. Ott, C. Pasquier, D. Jerome, A. DeLuzet and P. Batail 1009

Magnetoresistance anisotropy studies in $(TMTSF)_2PF_6$
L. Balicas 1011

Sign reversals of the quantum Hall effect and helicoidal magnetic-field-induced spin-density waves in organic conductors
N. Dupuis and V.M. Yakovenko 1013

Dynamical effects of phonons on soliton binding in quasi-one-dimensional spin–Peierls systems
D. Augier, D. Poilblanc, E. Sørensen and I. Affleck 1015

Specific heat of defects in the $S = 1$ chain system Y_2BaNiO_5
K. Hallberg, C.D. Batista and A.A. Aligia 1017

Correlated one-dimensional electron systems: Luttinger liquid properties and deviations at finite temperature
G. Jüttner, A. Klümper and J. Suzuki 1019

Quasi-exact analytical results for the one-dimensional Fermion gas with short-range interaction
A. Gold 1021

Novel approach to description of spin liquid phases in low-dimensional quantum antiferromagnets
O.P. Sushkov, V.N. Kotov, Z. Weihong and J. Oitmaa 1023

Electron transport in AlGaAs/GaAs V-groove quantum wires
B. Dwir, D. Kaufman, Y. Berk, A. Rudra, A. Palevski and E. Kapon 1025

Transport properties of double quantum wires in magnetic field
S.V. Korepov and M.A. Liberman 1028

Chapter 14. Spin-ladder compounds

Superconductivity and magnetic properties in the spin ladder compound $(Sr,Ca)_{14}Cu_{24}O_{41}$
J. Akimitsu 1030

^{17}O and $^{63,65}Cu$ NMR of undoped and hole-doped Cu_2O_3 two-leg spin-ladder $A_{14}Cu_{24}O_{41}$ up to 850 K
K.M. Shen, K.R. Thurber, A.W. Hunt, T. Imai and F.C. Chou 1032

$La_{1-x}Sr_xCuO_{2.5}$ representing a hole-doped spin ladder system
Z. Hiroi and M. Takano 1034

Optics in the ladder compounds $Sr_{14-x}Ca_xCu_{24}O_{41}$
B. Ruzicka, L. Degiorgi, U. Ammerahl, G. Dhalenne and A. Revcolevschi 1036

Spin dynamics of the spin ladder system $Sr_{14}Cu_{24}O_{41}$
L.P. Regnault, A.H. Moudden, J.P. Boucher, E. Lorenzo, A. Hiess, A. Vietkin and A. Revcolevschi 1038

Impurity effect of the spin-ladder system $SrCu_2O_3$
S. Ohsugi, Y. Kitaoka, Y. Tokunaga, K. Ishida, M. Azuma, Y. Fujishiro and M. Takano 1040

Study of spin-ladder system under pressure
T. Mito, K. Magishi, S. Matsumoto, G.-q. Zheng, Y. Kitaoka, K. Asayama, N. Motoyama, H. Eisaki and S. Uchida 1042

NMR study on field-induced staggered moments in single crystal of spin ladder $Sr_{14-x}La_xCu_{24}O_{41}$
K. Kumagai, S. Tsuji and K. Maki 1044

Pressure effects on spin-gap and antiferromagnetism in the hole-doped spin ladder system $Sr_{2.5}Ca_{11.5}Cu_{24}O_{41}$
S. Katano, T. Nagata, H. Fujino, J. Akimitsu, M. Nishi and K. Kakurai 1046

Generation of ferromagnetic bonds in disordered antiferromagnetic spin-1 chains with biquadratic couplings
K. Yang and R.N. Bhatt 1048

Magnetic bound states in dimerized quantum spin systems
P. Lemmens, M. Fischer, M. Grove, G. Els, G. Güntherodt, M. Weiden, C. Geibel and F. Steglich 1050

Mean field and exact diagonalization studies on an SO(5) symmetric ladder
S.-P. Hong and S.-H. Suck Salk 1053

The *N*-chain Hubbard model in the composite operator method
A. Avella, F. Mancini, M.M. Sánchez and R. Sridhar 1056

Anderson localization in Hubbard ladders
E. Orignac and T. Giamarchi 1058

Chapter 15. de Haas–van Alphen effect

de Haas–van Alphen oscillation in the superconducting mixed states of $CeRu_2$ and URu_2Si_2
Y. Ōnuki, Y. Inada, M. Hedo, H. Ohkuni, K. Sakurai, Y. Tokiwa, E. Yamamoto, Y. Haga, T. Honma and S. Takahashi 1060

Experimental considerations for de Haas–van Alphen studies in the mixed state
C.J. Haworth, S.M. Hayden, T.J.B.M. Janssen, P. Meeson, M. Springford and A. Wasserman 1066

de Haas–van Alphen effect in conventional and unconventional superconductors
V.P. Mineev 1072

Quantum oscillations in non-conventional superconductors
L.P. Gor'kov and J.R. Schrieffer 1075

Forbidden orbits in the magnetic breakdown regime of κ-(BEDT-TTF)$_2$Cu(NCS)$_2$
E. Steep, L.H. Nguyen, W. Biberacher, H. Müller, A.G.M. Jansen and P. Wyder 1079

Field-dependent cyclotron mass of $CeAl_2$
E.G. Haanappel, L. Pricopi, A. Demuer and P. Lejay 1081

Fermi surfaces of RPb_3
D. Aoki, Y. Katayama, S. Nojiri, R. Settai, Y. Inada, K. Sugiyama, Y. Ōnuki, H. Harima and Z. Kletowski 1083

Fermi surface of UB_2 studied by the de Haas–van Alphen oscillation
E. Yamamoto, T. Honma, Y. Haga, Y. Inada, D. Aoki, M. Hedo, Y. Yoshida, H. Yamagami and Y. Onuki 1085

Metamagnetic transition and dHvA effect of $U_2Rh_3Si_5$
C. Terakura, T. Miura, T. Terashima, H. Suzuki, S. Uji, H. Aoki, S. Ramakrishnan, B. Becker, A.A. Menovsky, G.J. Nieuwenhuys and J. Mydosh 1087

dHvA effect study of CeBi in the ferromagnetic and ferrimagnetic phases
T. Miura, H. Aoki, H. Kitazawa, M. Takashita, C. Terakura, S. Uji and G. Kido 1089

De Haas–van Alphen effect in $LaNi_2Ge_2$
K. Maezawa, S. Sakane, T. Fukuhara, H. Ohkuni, R. Settai and Y. Ōnuki 1091

dHvA effect study of the metamagnetic transition in $CeRu_2Si_2$ under pressure
M. Takashita, H. Aoki, T. Miura, C. Terakura, S. Uji, T. Matsumoto, K. Maezawa, R. Settai and Y. Onuki 1093

Chapter 16. Spectroscopy

Photoemission from Ce alloys at high resolution
M. Garnier, D. Purdie, M. Hengsberger, K. Breuer and Y. Baer 1095

Evidence of configuration interaction in resonant X-ray scattering from rare earths at the $M_{4,5}$-thresholds with final 4p excitation
L. Braicovich, G. Ghiringhelli, A. Tagliaferri, F. Borgatti and N.B. Brookes 1100

Electronic configuration of Ce in Ce/Fe(1 0 0) and Ce/Pd(1 0 0)
N. Witkowski, F. Bertran and D. Malterre 1102

Coherence effects in photoemission from ordered Ce systems
G. Zwicknagl 1105

Anomalous features in the photo-emission spectrum of heavy-fermion semiconductors
P.S. Riseborough 1107

Resonant inverse photoemission study on $CeRh_3$ at Ce 4d absorption edge
S. Shin, K. Kanai, T. Terashima, A. Kotani, G. Schmerber, J.P. Kappler and J.C. Parlebas 1109

3s photoemission spectra of 3d-transition-metal atoms on graphite
P. Krüger, M. Taguchi, A. Kotani and J.-C. Parlebas 1112

Contrasting Kondo behavior and resonant inverse photoemission spectra of $CeTSi_3$ and $CeTGe_3$ (T = Rh and Ir)
Y. Muro, D.H. Eom, N. Takeda, M. Ishikawa, K. Kanai, M. Watanabe and S. Shin 1114

Photoemission lineshape of CeNiSn near the Fermi level
J.-S. Kang, Y. Inada, Y. Ōnuki, C.G. Olson, S.K. Kwon and B.I. Min 1116

Ce-Pt(111) surface alloys: Electronic structure by photoemission
Th. Pillo, J. Hayoz, P. Aebi and L. Schlapbach 1118

Evidence for correlation shifts in the photoemission spectrum of late 4d transition metal compounds
P. Vavassori, L. Duò and M. Richter 1120

Angle-resolved photoemission spectroscopy of UPt_3
T. Ito, H. Kumigashira, H.-D. Kim, T. Takahashi, N. Kimura, Y. Haga, E. Yamamoto, Y. Ōnuki and H. Harima 1122

High-resolution angle-resolved photoemission study of RSb (R = La, Ce, U)
H. Kumigashira, H.-D. Kim, T. Ito, A. Ashihara, T. Takahashi, H. Aoki, A. Ochiai and T. Suzuki 1124

Zhang–Rice singlets in the photoemission spectra of $CuGeO_3$, Bi_2CuO_4, and CuO
F. Parmigiani and L. Sangaletti 1126

Scaling behaviour of Yb4f photoemission spectra with the characteristic temperature
F. Reinert, R. Claessen, C. Geibel and S. Hüfner 1128

Fermi-energy 5f spectral weight growth in $Y_{1-x}U_xPd_3$
J.D. Denlinger, J.W. Allen, S.-H. Yang, S.-J. Oh, E.-J. Cho, W.P. Ellis, D.A. Gajewski, R. Chau and M.B. Maple 1130

Measurement of an anisotropic pseudogap at room temperature in optimal doped Bi2212
J. Avila, M.C. Asensio, N.L. Saini, A. Lanzara, A. Bianconi, S. Tajima, G.D. Gu and N. Koshizuka 1132

Highly resolved photoemission on High-T_c's of the BiSrCaCuO-family
C. Janowitz, R. Müller, T. Plake, A. Müller, A. Krapf, H. Dwelk and R. Manzke 1134

Resonant inelastic X-ray scattering from highly correlated Ce multilayers
J.-M. Mariot, J.-J. Gallet, L. Journel, C.F. Hague, W. Felsch, G. Krill, M. Sacchi, J.-P. Kappler, A. Rogalev and J. Goulon 1136

Magnetic and electronic properties of Ce(111) thin films
J. Rothman, C. Meyer, D. Givord, J. Vogel, M. Finazzi, A. Fontaine, J.-P. Kappler and N.B. Brookes 1138

X-ray spectroscopic evidences of the electronic change of regime of Ce in the $CeNi_xPt_{1-x}$ solid solution
J.I. Espeso, J.C. Gómez Sal, M.C. Sánchez and J. Chaboy 1140

Magnetic circular dichroism in $CeRh_3B_2$
W. Grange, J.-P. Kappler, E. Dartyge, P. Haen, P. Lejay and A. Rogalev 1142

$M_{4,5}$ absorption edges in Ce-Kondo systems
A. Delobbe, M. Finazzi, B. Buschinger, O. Trovarelli, Ch. Geibel, J.-P. Kappler and G. Krill 1144

Pu 4f XPS spectra analyzed in the Anderson impurity model
L.E. Cox, J.M. Peek and J.W. Allen 1147

Theoretical description of core-level XPS on cuprates
C. Waidacher, J. Richter and K.W. Becker 1149

Orbital moment sum rule for isotropic X-ray absorption spectrum in more-than-half filled valence shells
T. Jo, S. Imada and J. van Elp 1151

Electronic structure of graphite intercalation compounds of rare-earths and uranium
S. Danzenbächer, S.L. Molodtsov, J. Boysen, Th. Gantz, C. Laubschat, A.M. Shikin, S.A. Gorovikov and M. Richter 1153

Synchrotron electron density probe of strongly correlated electron systems
V.A. Streltsov, E.S. Konovalova and Yu.B. Paderno 1155

Study of the electronic structure of rhenium and tungsten oxides on the O K-edge
J. Purans, A. Kuzmin, Ph. Parent and C. Laffon 1157

Resonant X-ray 4f scattering from Ce in Ce–Rh intermetallics at the $M_{4,5}$ thresholds
A. Tagliaferri, L. Braicovich, G. Ghiringhelli and N.B. Brookes 1159

Mean field theory of U $M_{4,5}$ absorption MCD for US
T. Shishidou, T. Jo, T. Oguchi and J.-C. Parlebas 1161

Anisotropic optical conductivity of RPtAs (R = La, Ce)
S. Kimura, K.G. Nath, Y. Haruyama, T. Kinoshita, S. Yoshii and M. Kasaya 1163

Magneto-optics in LaX (X = S, Se and Te)
F. Salghetti-Drioli, P. Wachter, F. Hulliger, K. Mattenberger and L. Degiorgi 1165

Single-ion 4f-spectral response from Ce-ions in the compound $CeFe_2$
A.P. Murani, B. Ouladdiaf and R.S. Eccleston 1167

Chapter 17. Conclusions

SCES-1998 Conference summary: Theory
A.J. Millis 1169

SCES-1998 Conference summary: Experimental
H.R. Ott 1173

List of Contributors 1177

Subject Index 1187